Volume 51 (1996), Contents

Number 1, January 1996

EDITORIAL

Ampoule labelling
D. S. Nunn and W. L. M. Baird 1

MAIN ARTICLES

A 5-year survival study of general surgical patients aged 65 years and over
A. E. Edwards, D. G. Seymour, J. M. McCarthy and M. K. H. Crumplin 3

What changes drug metabolism in critically ill patients?—II. Serum inhibits the metabolism of midazolam in human microsomes
G. R. Park, E. Miller and V. Navapurkar 11

Malignant hyperthermia—a large kindred linked to the RYR1 gene
A. J. Wallace, W. Wooldridge, H. M. Kingston, M. J. Harrison, F. R. Ellis and P. M. Ford 16

The relationship between anaesthetic uptake and cardiac output
S. J. Watt, L. B. Cook, S. Ohri and G. G. Lockwood 24

The use of bromothymol blue and sodium thiopentone to confirm tracheal intubation
V. S. Dean, J. Dingley and R. S. Vaughan 29

Uptake of desflurane during anaesthesia
T. J. Walker, M. K. Chakrabarti and G. G. Lockwood 33

The effect of epidural blockade on gastric intramucosal pH in the peri-operative period
N. P. Sutcliffe, S. M. Mostafa, J. Gannon and S. J. Harper 37

Re-establishment of paralysis using mivacurium following apparent full recovery from mivacurium-induced neuromuscular block
A. F. Kopman, M. U. Mallhi, G. G. Neuman and M. D. Justo 41

Peri-operative management of diabetic patients. Any changes for the better since 1985?
A. J. Eldridge and J. W. Sear 45

Antiemetic efficacy of prophylactic ondansetron in laparoscopic cholecystectomy. A randomised, double-blind, placebo-controlled trial
M. K. Koivuranta, E. Läärä and P. T. Ryhänen 52

Anaesthesia for day-care arthroscopy. A comparison between desflurane and isoflurane
A. Gupta, M. Kullander, K. Ekberg and C. Lennmarken 56

APPARATUS

A practical evaluation of four human-powered portable airway aspirators
F. E. Arnstein 63

CASE REPORT

Regional anaesthesia for repeat Caesarean section in a patient with phantom limb pain
D. R. Uncles, C. J. Glynn and L. E. S. Carrie 69

FORUM

An evaluation of the levering laryngoscope
J. P. Tuckey, T. M. Cook and C. A. Render 71

The use of the McCoy laryngoscope in patients with simulated cervical spine injuries
S. C. Laurent, A. E. de Melo and J. M. Alexander-Williams 74

Analysis of 1500 laryngeal mask uses by one anaesthetist in adults undergoing routine anaesthesia
J. Brimacombe 76

Learning fibreoptic skills in ear, nose and throat clinics
L. P. Burke, N. A. Osborn, J. E. Smith and A. P. Reid 81

The effect of extradural ketamine on onset time and sensory block in extradural anaesthesia with bupivacaine
Y. Yanli and A. Eren 84

CORRESPONDENCE 87

BOOK REVIEWS 102

DEATHS OF MEMBERS REORTED TO COUNCIL 104

Number 2, February 1996

EDITORIAL

Anaesthesia—value for money
G. Edge and M. Morgan 105

MAIN ARTICLES

Middle latency auditory evoked potentials during repeated transitions from consciouness to unconsciouness
F. W. Davies, H. Mantzaridis, G. N. C. Kenny and A. C. Fisher 107

Effects of topical benzocaine and lignocaine on upper airway reflex sensitivity
J. H. Raphael, G. D. Stanley and J. A. Langton 114

Peri-operative hypoxaemia in children undergoing application of a plaster jacket for scoliosis
A. T. Lovell, S. Ray, R. S. R. Fox and V. M. Taylor 119

Enhancement of pressor response to ephedrine following clonidine medication
M. Tanaka and T. Nishikawa 123

Effect of intravenous fluid preload on vasoactive peptide secretion during Caesarean section under spinal anaesthesia
A. M. Pouta, J. Karinen, O. J. Vuolteenaho and T. J. Laatikainen 128

Quantifying the effect of isoflurane on mivacurium infusion requirements
M. Kansanaho and K. T. Olkkola 133

Thoracic paravertebral space location. A new method using pressure measurement
J. Richardson, S. P. S. Cheema, J. Hawkins and S. Sabanathan 137

Interactions of calcium channel blockers with non-depolarising muscle relaxants in vitro
S. Sekerci and M. Tulunay 140

APPARATUS

A novel device for patient-controlled sedation: laboratory and clinical evaluation of the Baxter Intermate LV250 infusor and patient-control module
S. K. Hamid, P. K. Wong, F. Carmichael, K. White and A. J. Asbury 145

Evaluation of two electrochemical monitors for measurement of inhaled nitric oxide
J. M. Strauss, S. Krohn, R. Sümpelmann, D. Schröder and R. Barnert 151

HISTORICAL NOTES

Amylene, a blemish on Snow?
I. D. Conacher 155

Doctor Dee's ether apparatus
G. Sudarshan, A. K. Soni and B. Welsh 158

REVIEW ARTICLE

The gastric tonometer. A valuable monitor of splanchnic perfusion?
T. J. Trinder and G. G. Lavery 161

CASE REPORTS

Recurrent laryngeal nerve palsy after laryngeal mask airway insertion
F. R. Lloyd Jones and A. Hegab 171

Respiratory arrest in a parturient following intrathecal injection of sufentanil and bupivacaine
C. A. Greenhalgh 173

Subdural or epidural? Confirmation with magnetic resonance imaging
C. J. Ralph and M. P. Williams 175

Transient radicular irritation after single subarachnoid injection of isobaric 2% lignocaine for spinal anaesthesia
K. F. Hampl, M. C. Schneider, A. Bont and H. Pargger 178

FORUM

The efficacy and optimum time of administration of ranitidine in the prevention of the acid aspiration syndrome
F. Escolano, P. Sierra, J. C. Ortiz, J. C. Cabrera and J. Castaño 182

The effect of alkalinisation of lignocaine on axillary brachial plexus anaesthesia
W. P. Gormley, D. A. Hill, J. M. Murray and J. P. H. Fee 185

The palpation of pulses
C. Mather and S. O'Kelly 189

The effect of tunnelling on epidural catheter migration
R. J. Bougher, A. R. Corbett and D. T. O. Ramage 191

Skin sensitivity of the arm. A comparison of five sites
A. A. van den Berg 194

CORRESPONDENCE 198

SAFETY NOTICE 208

Number 3, March 1996

EDITORIAL

Trainee representation in anaesthesia—past, present and future
S. Geddes 209

MAIN ARTICLES

The effect on the heart of hypoxaemia in patients with severe coronary artery disease
H. L. Smith, D. J. Sapsford, M. E. Delaney and J. G. Jones 211

Anaesthesia and the QT interval in humans. The effects of isoflurane and halothane
D. Michaloudis, O. Fraidakis, T. Lefaki, I. Dede, F. Kanakoudes, H. Askitopoulou and B. J. Pollard 219

The effect of posture on late postoperative oxygenation
T. Mynster, L. M. Jensen, F. G. Jensen, H. Kehlet and J. Rosenberg 225

National provision of acute pain services
A. M. Windsor, C. J. Glynn and D. G. Mason 228

Tropisetron and metoclopramide in the prevention of postoperative nausea and vomiting. A comparative, placebo-controlled study in patients undergoing ophthalmic surgery
T. Ali-Melkkilä, J. Kanto and R. Katevuo 232

The influence of cold on the recovery of three neuromuscular blocking agents in man
A. J. England, X. Wu, K. M. Richards, I. Redai and S. A. Feldman 236

APPARATUS

Measuring rebreathing in spontaneous ventilation. A new lung model
L. B. Cook, S. Watt, G. Peachey and M. K. Chakrabarti 241

Circle systems with a coaxial inspiratory limb. Investigation with a lung model
L. B. Cook and M. K. Chakrabarti 247

SPECIAL ARTICLE

Minimising cardiac anaesthetic risk: the tortoise or the hare?
R. N. Juste, A. D. Lawson and N. Soni 255

CASE REPORT

Delayed paraplegia following spinal anaesthesia. Spinal subdural haematoma following dural puncture with a 25 G pencil point needle at T_{12}–L_1 in a patient taking aspirin
B. J. Pryle, J. A. Carter and T. Cadoux-Hudson 263

FORUM

Epidural infusion of low-dose bupivacaine and opioid in labour. Does reducing motor block increase the spontaneous delivery rate?
R. Russell and F. Reynolds 266

The effect of increasing the dose of buprenorphine on the haemodynamic response associated with tracheal intubation
F. A. Khan and R. S. Kamal 274

Attitudes to pain and pain relief in adult surgical patients
C. W. Brydon and A. J. Asbury 279

CORRESPONDENCE 282

ANNUAL REPORT OF COUNCIL 1994/5 295

CALL FOR EXPERT WITNESSES 307

Number 4, April 1996

EDITORIAL

Smoking and anaesthesia revisited
N. R. Nel and M. Morgan 309

MAIN ARTICLES

An economic evaluation of propofol/fentanyl compared with midazolam/fentanyl on recovery in the ICU following cardiac surgery
K. M. Sherry, J. McNamara, J. S. Brown and M. Drummond 312

Propofol infusion anaesthesia and the immune response in elderly patients undergoing ophthalmic surgery
C-O. Pirttikangas, M. Salo and O. Peltola 318

The effect of passive smoking on the incidence of airway complications in children undergoing general anaesthesia
B. Lyons, H. Frizelle, F. Kirby and W. Casey 324

Patient satisfaction with general anaesthesia. Too difficult to measure?
P. M. Whitty, I. H. Shaw and D. R. Goodwin 327

A comparison of retrospective versus contemporaneous nausea scores with patient-controlled analgesia
A. K. McIndoe, P. Warwick and M. O'Connor 333

Comparison of bladder, oesophageal and pulmonary artery temperatures in major abdominal surgery
S. H. Russell and J. W. Freeman 338

Assessment of neuromuscular block at the thumb and great toe using accelography in infants
T. Kitajima, K. Ishii and H. Ogata 341

Pre-operative anxiety. Effect of early or late position on the operating list
N. Panda, A. Bajaj, D. Pershad, L. N. Yaddanapudi and P. Chari 344

Pathological changes associated with short-term nasal intubation
J. E. O'Connell, D. S. Stevenson and M. A. Stokes 347

The effect of prophylactic clonidine on postoperative shivering
I. Vanderstappen, E. Vandermeersch, B. Vanacker, M. Mattheussen, P. Herijgers and H. Van Aken 351

Postoperative cognitive impairment in the elderly. Choice of patient-controlled analgesia opioid
I. A. Herrick, S. Ganapathy, W. Komar, J. Kirkby, C. A. Moote, W. Dobkowski and M. Eliasziw 356

Doxacurium pharmacodynamics in children using volatile and opioid-based anaesthesia
C. Kern, E. Tassonyi, J.-C. Rouge, O. H. G. Wilder-Smith and J.-F. Pittet 361

Cricoid pressure: are two hands better than one?
T. M. Cook 365

APPARATUS

A study of the incorrect use of ventilator disconnection alarms
R. M. Campbell, A. Sheikh and M. M. Crosse 369

SPECIAL ARTICLE

Respiratory pattern and rebreathing in the Mapleson A, C and D breathing systems with spontaneous ventilation. A theory
L. B. Cook 371

CASE REPORT

Misplacement of multihole epidural catheters—a report of two cases
X. Sala-Blanch, G. Martinez-Palli, M. Agusti-Lasus and M. A. Nalda-Felipe 386

FORUM

Tracheal intubation through the laryngeal mask using a gum elastic bougie in the presence of cricoid pressure and manual in line stabilisation of the neck
D. A. Gabbott and M. P. Sasada 389

Leg and back pain after spinal anaesthesia involving hyperbaric 5% lignocaine
L. Salmela, U. Aromaa and D. A. Cozanitis 391

Modification of pain on injection of propofol. A comparison of pethidine and lignocaine
B. Lyons, D. Lohan, C. Flynn and M. McCarroll 394

Acid-base management during cardiopulmonary bypass. Current trends in the United Kingdom
C. Goldsack and J. C. Berridge 396

Wearing of masks for obstetric regional anaesthesia. A postal survey
K. K. Panikkar and S. M. Yentis 398

CORRESPONDENCE 401

DEATHS OF MEMBERS REPORTED TO COUNCIL 411

Number 5, May 1996

EDITORIAL

The struggle for power in anaesthetic studies
S. M. Yentis 413

MAIN ARTICLES

Acid aspiration prophylaxis for emergency Caesarean section
J. C. Stuart, A. F. Kan, S. J. Rowbottom, G. Yau and T. Gin 415

Endothelin-1 concentrations and optimisation of arterial oxygenation and venous admixture by selective pulmonary artery infusion of prostaglandin E_1 during thoracotomy
T.-L. Chen, Y.-T. Lee, M.-J. Wang, J.-M. Lee, Y.-C. Lee and S.-H. Chu 422

Patient-controlled alfentanil. Target-controlled infusion for postoperative analgesia
M. G. Irwin, R. D. M. Jones, A. R. Visram and G. N. C. Kenny 427

What changes drug metabolism in critically ill patients—III? Effect of pre-existing disease on the metabolism of midazolam
G. R. Park and E. Miller 431

Postoperative morbidity following cataract surgery. A comparison of local and general anaesthesia
J. P. Barker, G. C. Vafidis and G. M. Hall 435

Dose–response and minimum time to satisfactory intubation conditions after mivacurium in children
A. McCluskey and G. Meakin 438

Postanaesthetic shivering in children
B. Lyons, A. Taylor, C. Power and W. Casey 442

The addition of tenoxicam to prilocaine for intravenous regional anaesthesia
N. C. Jones and S. C. Pugh 446

Gas kinetics during nitrous oxide analgesia for labour
S. Einarsson, O. Stenqvist, A. Bengtsson, H. Norén and J. P. Bengtson 449

APPARATUS

The importance of the expiratory pause. Comparison of the Mapleson A, C and D breathing systems using a lung model
L. B. Cook 453

Low pressure leakage in anaesthetic machines. Evaluation by positive and negative pressure tests
P. Somprakit and P. Soontranan 461

REVIEW ARTICLE

Immunomodulation: an important concept in modern anaesthesia
W. T. McBride, M. A. Armstrong and S. J. McBride 465

CASE REPORTS

Esmolol aids extubation in intensive care patient with ischaemic pulmonary oedema
D. T. Duane, S. R. Redwood and R. M. Grounds 474

Anaesthesia for Cockayne syndrome. Three case reports
W. J. Wooldridge, O. R. Dearlove and A. A. Khan 478

Flumazenil: an unreliable antagonist in baclofen overdose
S. M. A. Byrnes, G. W. Watson and P. A. J. Hardy 481

FORUM

The effect of syntocinon on blood loss during first trimester suction curettage
P. B. Ali and G. Smith 483

Does post-laparoscopy pain relate to residual carbon dioxide?
S. A. Jackson, A. S. Laurence and J. C. Hill 485

The haemodynamic effects of propofol in combination with ephedrine
F. Gamlin, M. Vucevic, L. Winslow and J. Berridge 488

Akathisia following low-dose droperidol for antiemesis in day-case patients
P. N. Foster, B. R. Stickle and A. S. Laurence 491

Topical ibuprofen for skin analgesia prior to venepuncture
A. J. Smith, K. A. Eggers, M. R. W. Stacey and I. Power 495

The effect of temperature upon pain during injection of propofol
G. C. Fletcher, J. A. Gillespie and J. A. H. Davidson 498

CORRESPONDENCE 500

BOOK REVIEWS 519

SAFETY NOTICE 521

Number 6, June 1996

EDITORIAL

Stress
Diana E. Dickson 523

MAIN ARTICLES

Patients' experiences of patient-controlled analgesia
N. M. Taylor, G. M. Hall and P. Salmon 525

The influence of volume therapy and pentoxifylline infusion on circulating adhesion molecules in trauma patients
J. Boldt, M. Heesen, W. Padberg, K. Martin and G. Hempelmann 529

Induction of anaesthesia with midazolam and a target-controlled propofol infusion
Y. Tzabar, C. Brydon and G. W. A. Gillies 536

A comparison of the induction characteristics of sevoflurane and halothane in children
A. Black, M. R. J. Sury, L. Hemington, R. Howard, A. Mackersie and D. J. Hatch 539

A comparison of the recovery characteristics of sevoflurane and halothane in children
M. R. J. Sury, A. Black, L. Hemington, R. Howard, D. J. Hatch and A. Mackersie 543

A comparison of the effects of isoflurane and desflurane on the neuromuscular effects of mivacurium
N. Kumar, R. K. Mirakhur, M. J. Symington, P. B. Loan and F. M. Connolly 547

Creatinine and urea clearance during continuous veno-venous haemofiltration in critically ill patients
I. C. Brocklehurst, A. N. Thomas, R. Kishen and J. M. Guy 551

Infusions of subhypnotic doses of propofol for the prevention of postoperative nausea and vomiting
J. E. Montgomery, C. J. Sutherland, I. G. Kestin and J. R. Sneyd 554

APPARATUS

The delivery of oxygen by a Venturi T piece
D. J. Campbell and M. C. Fairfield 558

Evaluation of the Upsherscope. A new rigid fibrescope
A. C. Pearce, S. Shaw and S. Macklin 561

REVIEW ARTICLE

Anaesthesia for cardioversion
M. D. Stoneham 565

SPECIAL ARTICLE

The practice of anaesthesia—a stressor for the middle-aged?
H. F. Seeley 571

CASE REPORTS

Anaesthetic management in maple syrup urine disease
S. Kahraman, M. Ercan, Ö. Akkuş, Ö. Erçelen, K. Erdem and T. Coşkun 575

Use of lipsome-associated bupivacaine in a cancer pain syndrome
N. D. Lafont, F. J. Legros and J. G. Boogaerts 578

Arnold–Chiari malformation in pregnancy
D. A. Semple, J. H. McClure and E. M. Wallace 580

FORUM

Anaesthesia for electroconvulsive therapy. Personnel and facilities
D. Lee, M. Kenny and W. Harrop-Griffiths 583

The effect of pre-incisional infiltration with lignocaine on postoperative pain after molar teeth extraction under general anaesthesia
S. G. Tordoff, M. Brossy, D. J. Rowbotham, J. N. James, R. James and J. H. Raphael 585

Postoperative pain in children. Combining audit and a clinical nurse specialist to improve management
J. M. Goddard and S. E. Pickup 588

Analgesia for day surgery. Evaluation of the effect of diclofenac given before or after surgery with or without bupivacaine infiltration
A. Chan, C. J. Doré and V. Ramachandra 592

Insertion methods of the laryngeal mask airway. A survey of current practice in Wales
J. Dingley and T. Asai 596

CORRESPONDENCE 600

Number 7, July 1996

EDITORIAL
Infusion systems
P. G. M. Wallace 613

MAIN ARTICLES
Improvements in anaesthetic care resulting from a critical incident reporting programme
T. G. Short, A. O'Regan, J. P. Jayasuriya, M. Rowbottom, T. A. Buckley and T. E. Oh 615
Sevoflurane degradation by soda lime in a circle breathing system
I. T. Munday, P. M. Ward, N. D. Foden, R. M. Jones, F. N. A. M. Van Pelt and J. G. Kenna 622
Spinal anaesthesia induced by intrathecal magnesium sulphate. An experimental study in a rat model
M. Bahar, M. Chanimov, E. Grinspun, I. Koifman and M. L. Cohen 627
An investigation of the effects of heparin, low molecular weight heparin, protamine, and fentanyl on the balance of pro- and anti-inflammatory cytokines in *in-vitro* monocyte cultures
W. T. McBride, M. A. Armstrong and T. J. McMurray 634
Audit in pain clinics. Changing the management of low-back and nerve-damage pain
H. T. O. Davies, I. K. Crombie, W. A. Macrae, K. M. Rogers and J. E. Charlton 641
Epidural morphine for postherpetic neuralgia
J. W. G. Watt, J. R. Wiles and D. R. Bowsher 647
Effect of bupivacaine-induced spinal block on the hypnotic requirement of propofol
M. Tverskoy, G. Fleyshman, L. Bachrak and I. Ben-Shlomo 652
The use of a non-invasive method to measure intrapulmonary shunt during one-lung anaesthesia
J. Dingley, D. A. Hope and R. S. Vaughan 654
Systemic piroxicam as an adjunct to patient-controlled analgesia with alfentanil for postoperative pain relief
P. Van Lancker, J. Devulder and G. Rolly 658
Spontaneous movement after injection of propofol
A. Chan, E. Nickoll, C. Thornton, C. Doré and D. E. F. Newton 663

APPARATUS
A study of the brightness of laryngoscope light
R. W. H. Skilton, D. Parry, G. J. Arthurs and P. Hiles 667
Optimal shape of the laryngeal mask cuff. The influence of three deflation techniques
J. Brimacombe, A. Brain, H. Branagan, M. Spry and J. Schofield 673

SPECIAL ARTICLE
Anaesthesia and the Internet
S. M. Yentis and R. Ooi 677

CASE REPORTS
Hydrogen peroxide: an unusual cause of arterial and venous gas embolism
S. P. W. Neff, L. Zulueta and R. Miller 683
Contralateral pneumothorax following thoracotomy for vertebrectomy
F. D. Spears and A. Jardine 685
Iatrogenic vertebrojugular arteriovenous fistula
U. Stock, J. Link and P. Dütschke 687
Upper airway obstruction caused by acquired inhibitor to factor VIII
G. M. Joynt, N. W. R. Wickham, R. J. Young and C. D. Gomersall 689
Compartment syndrome with severe rhabdomyolysis in the postoperative period following major vascular surgery
T. A. Ferreira, A. Pensado, L. Dominguez, H. Aymerich and N. Molins 692

FORUM
A comparison of epidural infusions of fentanyl or pethidine with bupivacaine in the management of postoperative pain
C. R. Cox, M. G. Serpell, J. Bannister, D. M. Coventry and D. R. Williams 695
Topical lignocaine and thiopentone for the insertion of a laryngeal mask airway. A comparison with propofol
C. R. Seavell, T. M. Cook and C. M. Cox 699
Oxygen saturation of patients recovering from electroconvulsive therapy
A. S. M. McCormick and D. A. Saunders 702

CORRESPONDENCE 705

BOOK REVIEW 715

DEATHS OF MEMBERS REPORTED TO COUNCIL 715

Number 8, August 1996

EDITORIAL

Ethics in obstetric anaesthesia
Wendy E. Scott 717

MAIN ARTICLES

Mortality predicted by APACHE II. The effect of changes in physiological values and post-ICU hospital mortality
D. R. Goldhill and P. S. Withington 719

The prognostic value of serial measurements of serum albumin concentration in patients admitted to an intensive care unit
A. McCluskey, A. N. Thomas, B. J. M. Bowles and R. Kishen 724

Silent myocardial ischaemia in patients undergoing transurethral prostatectomy. A study to evaluate risk scoring and anaesthetic technique with outcome
A. Windsor, G. W. G. French, J. W. Sear, P. Foëx, S. V. Millett and S. J. Howell 728

Lung aeration. The effect of pre-oxygenation and hyperoxygenation during total intravenous anaesthesia
A. Reber, G. Engberg, G. Wegenius and G. Hedenstierna 733

Difficult intubation: thyromental distance and the atlanto-occipital gap
C. M. Frerk, C. B. W. Till and A. J. Bradley 738

Postoperative pain. Expectation and experience after coronary artery bypass grafting
P. G. Nay, S. M. Elliott and A. W. Harrop-Griffiths 741

Effects of carbon dioxide insufflation for laparoscopic cholecystectomy on the respiratory system
P. Pelosi, G. Foti, M. Cereda, P. Vicardi and L. Gattinoni 744

Plasma concentrations of bupivacaine following single needle lumbar sympathectomy using two volumes of 0.25% bupivacaine plain solution
A. M. Dick, D. A. Gabbott and P. A. J. Hardy 750

Control of end-tidal carbon dioxide during IPPV. Variable functional apparatus deadspace
P. V. Scott, R. M. Haden and R. P. Jones 752

APPARATUS

Lumbar epidurography with multi-orifice and single orifice epidural catheters
A. D. Magides, A. Sprigg and M. N. Richmond 757

Emergency transtracheal ventilation: assessment of breathing chosen by anaesthetists
I. G. Ryder, C. C. E. Paoloni and C. C. Harle 764

SPECIAL ARTICLE

The effects of hypoxaemia and recommendations for postoperative oxygen therapy
J. F. Powell, D. K. Menon and J. G. Jones 769

CASE REPORT

Prolapsed intervertebral disc after epidural analgesia in labour
M. R. Foster, G. R. Nimmo and A. G. Brown 773

FORUM

The prevention of postoperative nausea and vomiting using a combination of ondansetron and droperidol
I. J. Wrench, J. E. H. Ward, A. D. Walder and G. J. Hobbs 776

Effect of injection pressure on the success rate of peribulbar block
T. Gillart, J. E. Bazin, C. Deret, L. Aigouy, P. Schoeffler and C. Raynaud 779

Midazolam co-induction and laryngeal mask insertion
I. K. Driver, S. Wiltshire, P. Mills, N. Lillywhite and R. Howard-Griffin 782

Postoperative analgesia in dental day case surgery. A comparison between Feldene 'Melt' (piroxicam) and diclofenac suppositories
H. G. Wakeling, P. Creagh Barry and P. J. Butler 784

Lignocaine to aid the insertion of the laryngeal mask airway with thiopentone. A comparison between topical and intravenous administration
T. M. Cook, C. R. Seavell and C. M. Cox 787

CORRESPONDENCE 791

Number 9, September 1996

EDITORIAL

Thoracic epidural analgesia in cardiac surgery
J. P. Desborough 805

MAIN ARTICLES

An investigation of the potential morphine sparing effect of midazolam
H. E. M. Gilliland, B. K. Prasad, R. K. Mirakhur and J. P. H. Fee 808

Laryngoscopy using the McCoy laryngoscope after application of a cervical collar
D. A. Gabbott 812

The effect of the addition of lignocaine on propofol emulsion stability
E. M. M. Lilley, P. R. Isert, M. L. Carasso and R. A. Kennedy 815

The effect of four different surgical prone positions on cardiovascular parameters in healthy volunteers
R. Wadsworth, J. M. Anderton and A. Vohra 819

Changes in tracheal tube position during laparoscopic cholecystectomy
T. Inada, F. Uesugi, S. Kawachi and K. Takubo 823

The effect of ondansetron on the pharmacokinetics and pharmacodynamics of temazepam
G. C. Preston, O. N. Keene and J. L. Palmer 827

Thiopentone requirements in adults after varying pre-induction doses of fentanyl
L. P. Wang, C. Hermann and P. Westrin 831

The use of absorbent materials for the disposal of controlled drugs
M. M. Tarling, N. van den Berg, L. Strunin and A. Walton 836

APPARATUS

A new critical incident monitor for use with the paediatric T-piece. In vitro evaluation and clinical experience with the Magtrak Infanta Electronic Respirometer
D. J. Hatch and E. A. Jackson 839

Spinal needle damage during routine clinical practice
M. Benham 843

The paradox of the StatCap carbon dioxide indicator. An experimental evaluation of rebreathing
V. Kapoor and J. W. H. Watt 846

REVIEW ARTICLE

The airways and anaesthesia—I. Anatomy, physiology and fluid mechanics
D. R. Burwell and J. G. Jones 849

CASE REPORTS

Torsade de pointes ventricular tachycardia following coronary artery spasm during general anaesthesia
K. Mizutani, Y. Toyoda and H. Kubota 858

The hazards of anaesthetic gas scavenging systems
D. R. Farquhar-Thomson and J. M. Goddard 860

Osteogenesis imperfecta and malignant hyperthermia. Is there a relationship?
P. Porsborg, G. Astrup, D. Bendixen, A. M. Lund and H. Ørding 863

Remote controlled prolonged conscious sedation for gynaecological radiotherapy
V. L. B. Oei-Lim, C. J. Kalkman, G. van Tienhoven and F. H. M. Engbers 866

Lingual nerve paralysis following the use of the laryngeal mask airway
C. H. Laxton and R. Kipling 869

FORUM

Intrathecal administration of morphine for elective Caesarean section. A comparison between 0.1 mg and 0.2 mg
A. R. Milner, D. G. Bogod and R. J. Harwood 871

Routine suxamethonium in children. A regional survey of current usage
A. L. Robinson, D. C. Jerwood and M. A. Stokes 874

Injection pain with propofol. Reduction with aspiration of blood
D. S. McDonald and P. Jameson 878

Antiemetic efficacy of ondansetron with patient-controlled analgesia
P. R. F. Davies, P. Warwick and M. O'Connor 880

The effect of pretreatment with ketorolac on pain during intravenous injection of propofol
A. J. Smith and I. Power 883

CORRESPONDENCE 886

DEATHS OF MEMBERS REPORTED TO COUNCIL 896

SAFETY NOTICE 896

Number 10, October 1996

EDITORIAL

Ten years at Bedford Square
W. Leslie M. Baird 897

MAIN ARTICLES

The effect of epidural opioids on maternal oxygenation during labour and delivery
J. S. Porter, E. Bonello and F. Reynolds 899

The estimation of inspired desflurane concentration in a low-flow system
S. Gowrie-Mohan, V. Muralitharan and G. G. Lockwood 904

A survey of emergency airway management in the United Kingdom
B. Ratnayake and R. M. Langford 908

A comparison of the forces exerted during laryngoscopy. The Macintosh versus the McCoy blade
E. P. McCoy, R. K. Mirakhur, C. Rafferty, H. Bunting and B. A. Austin 912

Effect of transcutaneous electrical nerve stimulation on onset of axillary plexus block
M. F. Stevens, U. Linstedt, B. Neruda, P. Lipfert and H. Wulf 916

Lack of efficacy of intra-articular opioids for analgesia after day-case arthroscopy
I. J. Wrench, P. Taylor and G. J. Hobbs 920

The effect of introducing fibreoptic bronchoscopes on gas flow in laryngeal masks and tracheal tubes
J. Brimacombe and K. Dunbar-Reid 923

Neuromuscular and cardiovascular advantages of combinations of mivacurium and rocuronium over either drug alone
S. Y. Kim and M. H. Cho 929

APPARATUS

Configuration of the SCOTI device with different tracheal tubes
N. Nandwani, R. Caranza, E. S. Lin and J. H. Raphael 932

Simulated difficult intubation. Comparison of the gum elastic bougie and the stylet
P. S. Gataure, R. S. Vaughan and I. P. Latto 935

Anaesthesia with the Boyle's bottle vaporizer
S. A. White and L. Strunin 939

REVIEW ARTICLE

The airways and anaesthesia II. Pathophysiology
D. R. Burwell and J. G. Jones 943

HISTORICAL NOTE

Did the use of chloroform by Queen Victoria influence its acceptance in obstetric practice?
H. Connor and T. Connor 955

CASE REPORTS

Serum and urinary myoglobin following an aborted malignant hyperthermia reaction
A. S. Laurence, G. K. Vanner, W. Collins and P. M. Hopkins 958

Management of Caesarean delivery in the presence of a large pelvic vascular malformation
C. Gray, M. N. Richmond and S. L. B. Duncan 961

FORUM

Feasibility of day case laparoscopic cholecystectomy in unselected patients
J. P. Tuckey, G. N. Morris, C. J. Peden and J. J. T. Tate 965

Safety and efficacy of the laryngeal mask airway. A prospective survey of 1400 children
M. Lopez-Gil, J. Brimacombe and M. Alvarez 969

The laryngeal mask airway for thyroid and parathyroid surgery
H. E. Hobbiger, J. G. Allen, R. G. Greatorex and N. M. Denny 972

Attitudes of consultant anaesthetists to the Calman proposals: a questionnaire survey
G. A. Dempsey and A. Skinner 975

A comparison between the Macintosh and the McCoy laryngoscope blades
T. M. Cook and J. P. Tuckey 977

A review of 560 Hickman catheter insertions
S. Ray, R. Stacey, M. Imrie and J. Filshie 981

CORRESPONDENCE 986

BOOK REVIEWS 994

DEATHS OF MEMBERS REPORTED TO COUNCIL 996

HAZARD NOTICE 996

Number 11, November 1996

EDITORIAL

Recovery from anaesthesia: which is the best kinetic descriptor of a drug's recovery profile?
J. W. Sear 997

MAIN ARTICLES

Hypertension, admission blood pressure and perioperative cardiovascular risk
S. J. Howell, Y. M. Sear, D. Yeates, M. Goldacre, J. W. Sear and P. Foëx 1000

Validation of three paediatric pain scores for use by parents
G. A. M. Wilson and E. Doyle 1005

Pre-operative parental anxiety
N. Thompson, M. G. Irwin, W. M. S. Gunawardene and L. Chan 1008

A comparison of opioid solutions for patient-controlled epidural analgesia
A. J. Smith, T. K. Haynes, D. E. Roberts and M. Harmer 1013

Central venous line sepsis in the intensive care unit. A study comparing antibiotic coated catheters with plain catheters
J. Thornton, N. J. Todd and N. R. Webster 1018

Evaluation of the contribution to postoperative analgesia by local cooling of the wound
B. Brandner, B. Munro, L. M. Bromley and M. Hetreed 1021

Nasotracheal tube placement over the fibreoptic laryngoscope
S. Hughes and J. E. Smith 1026

A double-blind comparison of codeine and morphine for postoperative analgesia following intracranial surgery
C. Goldsack, S. M. Scuplak and M. Smith 1029

Anaesthesia for intra-peritoneal perfusion of hyperthermic chemotherapy. Haemodynamic changes, oxygen consumption and delivery
F. Kanakoudis, A. Petrou, D. Michaloudis, G. Chortaria and A. Konstantinidou 1033

APPARATUS

Carbon monoxide within circle systems
N. Harrison, A. C. Knowles and E. A. Welchew 1037

Premature failure of battery-powered syringe pumps
A. Tatman, H. Brunner and M. Stokes 1041

CASE REPORTS

Anaesthetic management of a quadriplegic patient with severe respiratory insufficiency undergoing Caesarean section
A. B. Ahmed and D. G. Bogod 1043

Acute stridor as a presentation of bilateral abductor vocal cord paralysis
A. Strauss, M. Pinder, J. Lipman and M. Conidaris 1046

Compartment syndrome as a complication of the prolonged use of the Lloyd-Davies position
A. L. Goldsmith and M. I. D. McCallum 1048

Awake fibreoptic intubation in the semi-prone position following facial trauma
M. R. Neal, J. Groves and I. R. Gell 1053

FORUM

Total intravenous anaesthesia with propofol or inhalational anaesthesia with isoflurane for major abdominal surgery. Recovery characteristics and postoperative oxygenation—an international multicentre study
A. S. Phillips, R. K. Mirakhur, J. B. Glen and S. C. Hunter 1055

Comparison of sufentanil/propofol versus isoflurane/nitrous oxide anaesthesia on mesenteric artery blood flow
J. H. M. J. Zwijsen, J. G. Bovill, R. H. Geelkerken, T. A. Delahunt, J. H. van Bockel and J. Hermans 1090

The view of the glottis at laryngoscopy after unexpectedly difficult placement of the laryngeal mask
T. Asai 1063

The analgesic efficacy of tenoxicam versus placebo in day case laparoscopy: a randomised parallel double-blind trial
A. Windsor, P. McDonald, T. Mumtaz and J. M. Millar 1066

The reproducibility of the iliac crest as a marker of lumbar spine level
C. A. Render 1070

CORRESPONDENCE 1072

HAZARD NOTICES 1085

Number 12, December 1996

EDITORIAL

150 years of ether anaesthesia and what is next?
D. J. Wilkinson 1087

MAIN ARTICLES

Economics of low-flow anaesthesia in children
R. Perkins and G. Meakin 1089

Audit of postoperative pain control. Influence of a dedicated acute pain nurse
S. A. Coleman and J. Booker-Milburn 1093

Pretreatment with controlled-release morphine for pain after hysterectomy
R. H. Cruickshank, A. Spencer and F. R. Ellis 1097

Effect of epidural block on the lag time of pulse oximeter response
F. S. Xue, X. Liao, S. Y. Tong, Q. H. Liu, G. An and L. K. Luo 1102

Intra-ocular pressure changes during gynaecological laparoscopy
C. Lentschener, D. Benhamou, F. Niessen, F. J. Mercier and H. Fernandez 1106

Venous levels of lignocaine and bupivacaine after peribulbar block
F. Gao and A. J. Budd 1109

Blood flow in the lower limbs in the knee–chest position. Ultrasonographic study in unanaesthetised volunteers
E. Laakso, J. Ahovuo and P. H. Rosenberg 1113

Gas leakage and the laryngeal mask airway. A comparison with the tracheal tube and facemask during spontaneous ventilation using a circle breathing system
A. E. Cameron, J. Sievert, A. J. Asbury and R. Jackson 1117

Respiratory effects of spinal anaesthesia for Caesarean section
M. C. Kelly, K. T. J. Fitzpatrick and D. A. Hill 1120

APPARATUS

A ventilation-exchange bougie for fibreoptic intubations with the laryngeal mask airway
D. P. L. Atherton, E. O'Sullivan, D. Lowe and P. Charters 1123

A laboratory assessment of oxygen delivery from a portable chemical generator
W. B. Murray, N. R. Bhimsan and C. C. Rout 1127

Use of a neonatal noninvasive blood pressure module on adult patients
D. W. Green 1129

REVIEW ARTICLES

Pruritus—itching for a cause and relief?
P. C. A. Kam and K. H. Tan 1133

Hypotension, subarachnoid block and the elderly patient
L. A. H. Critchley 1139

CASE REPORTS

Sciatic nerve palsy following childbirth
M. Silva, C. Mallinson and F. Reynolds 1144

Asystole from tetanic stimulation of the accessory nerve
P. V. Scott 1148

Epidural anaesthesia, ephedrine and phenylephrine in a patient taking moclobemide, a new monoamine oxidase inhibitor
J. W. Martyr and C. E. P. Orlikowski 1150

Acquired laryngomalacia as a cause of airway obstruction immediately after unilateral mouth floor surgery
H. Mima, H. Ishida and K. Yamazaki 1152

Leg ischaemia in an infant following accidental intra-arterial administration of atracurium treated with caudal anaesthesia
G. Kessell and I. Barker 1154

Lithium toxicity
A. J. Vipond, S. Bakewell, R. Telford and A. J. Nicholls 1156

Spinal anaesthesia and spina-bifida occulta
P. R. F. Davies and A. B. Loach 1158

Tissue expander causing iatrogenic difficult intubation
I. A. Chadha, S. T. Multani and A. Chadha 1160

FORUM

A comparison of prophylactic ondansetron and metoclopramide administration in patients undergoing major neurosurgical procedures
S. C. Pugh, N. C. Jones and L. Z. Barsoum 1162

The incidence of post dural puncture headache in children
L. H. Wee, F. Lam and A. J. Cranston 1164

Jaw thrusting as a clinical test to assess the adequate depth of anaesthesia for insertion of the laryngeal mask
M. P. Drage, J. Nunez, R. S. Vaughan and T. Asai 1167

The optimal dose of ketamine for caudal epidural blockade in children

D. Semple, D. Findlow, L. M. Aldridge and E. Doyle 1170
The effect of glycopyrrolate on postoperative pain and analgesic requirements following laparoscopic sterilisation
B. C. Guard and S. J. Wiltshire 1173
Pain following craniotomy: a preliminary study comparing PCA morphine with intramuscular codeine phosphate
M. D. Stoneham, R. Cooper, N. F. Quiney and F. J. M. Walters 1176
Pre-operative oral administration of morphine in day-case gynaecological laparoscopy
R. Rasanayagam and G. Harrison 1179

CORRESPONDENCE 1182

OBITUARY 1194

BOOK REVIEWS 1196

INDEX 1199

VOLUME INDEX